

1 '(3(1'(17 6 & + 22/ '5 6&7  
\$ VWKPD \$ F W L R Q 3 O D

^ š μ Name \_\_\_\_\_ DOB \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

6 H Y H U L W \ & O  Mild Persistent  Moderate Persistent  Severe Persistent

*Still in the red zone after 15 minutes*

Asthma Triggers (list) \_\_\_\_\_

1 H D N ) O R Z 0 H W H U 3 H H V R Q D O % H V W

necessary for asthma management and administration of this

3 K \ V L F D O \$ F W L R Q 3 O D Use Albuterol/levalbuterol \_\_\_\_\_ puffs, 15 minutes before activity  with all activity  when the child feels he/she needs it

5 H Y L V

6 F K R O 6 P O D W the Yellow and Red Zone instructions for the quick-relief medicines according to asthma symptoms.

The only control medicines to be administered in the school are those listed in the Green Zone with a check mark next to "Take at School".

/( } S V Z K H + H D O W K F D U H 3 U R Y L G H U f e Q i a t t h e c h i l d h a s d e m o n s t r a t e d t h e s k i l l s t o c a r r y a n d s e l f - a d m i n i s t e r t h e i r q u i c k - r e l i e f i n h a l e r , i n c l u d i n g w h e n t o t e l l a n a d u l t i f s y m p t o m s d o n o t i m p r o v e a f t e r t a k i n g t h e m e d i c i n e % o • } u % o š • % o C E š •

K O D +

